•			
	Application No.	Applicant(s)	
Notice of Allowability	10/630,314	SHALABY ET AL.	16
	Examiner	Art Unit	FIRM
	Patricia Hightower	1711	14/B
All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOT the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communing IGHTS. This application is suit and MPEP 1308.	his application. If not includication will be mailed in due bject to withdrawal from iss	ded course. THIS
This communication is responsive to the preliminary amen —	ament lilea 7/30/2003 & the T	<u>D IIIed May 14, 2005</u> .	
2. The allowed claim(s) is/are <u>9-17</u> .			
 Acknowledgment is made of a claim for foreign priority ur All b)	e been received. e been received in Application cuments have been received i	No in this national stage applica	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			NOTICE OF
5. \square CORRECTED DRAWINGS (as "replacement sheets") must	st be submitted.		
(a) including changes required by the Notice of Draftspers		PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date		a the a Office and Page of	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or ir	the Office action of	•
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			e back) of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			Note the
Attachment(s)	: -		
1. Notice of References Cited (PTO-892)		rmal Patent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ail Date	
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	98), 7. ⊠ Examiner's A	mendment/Comment	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🛭 Examiner's S	tatement of Reasons for All	owance
C. Diological material	9.		
	,		
		;	

Art Unit: 1711

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In The Specification:

At page 1, the first sentence of the specification amend as follows:

This a divisional application of U.S. Serial NO. 10/003,640, filed November 2, 2001, which is a continuation-in-part of U.S. Serial No. 09/698,527, filed October 27, 2000, now U.S. Patent No. 6,462,169.

In The Claims:

This application is in condition for allowance except for the presence of claims 1-8 to an invention withdrawn from consideration by the applicant in the preliminary amendment filed July 30, 2003 non-elected by the applicant indicative by the withdrawal of claims 1-8 which is being treated by the examiner as an election by original presentation without traverse. Accordingly, claims 1-8 have been cancelled.

Cancel Claims 1-8.

Reasons For Allowance

The following is an examiner's statement of reasons for allowance:

In view of the applicant's preliminary amendment filed July 30, 2003 and the terminal disclaimer filed May 24, 2005 the instantly claimed sealing device for puncture in a blood vessel comprising a first flexible sealing member positionable inside the blood vessel immediately adjacent to the puncture an

Application/Control Number: 10/630,314 Page 3

Art Unit: 1711

elongated member comprising a composite having an axial direction, a cross-sectional diameter, a proximal end and a distal end, the elongated member further comprising a distal locking portion comprising an enlarged cross-sectional diameter at the distal portion which extends outwardly from the punctured blood vessel when the first sealing member is positioned within the blood vessel and immediately adjacent to the puncture and a second flexible sealing member threadable onto the elongated member by an opening, the second sealing member comprising locking means for locking onto the distal locking portion of the elongated member in which the second sealing means is locked onto the elongated member on the outside of the blood vessel immediately adjacent to the puncture thereby sealing the puncture; such is allowable because the prior art does not teach nor fairly suggest such.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia Hightower whose telephone number is (571) 272-1073. The examiner can normally be reached on M-F from 9:30 A.M. - 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1711

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

P. Hampton Hightower Primary Examiner Art Unit 1711

P. Hightower:ph September 03, 2005